

Mathematics Assessment Project
CLASSROOM CHALLENGES
A Formative Assessment Lesson

Calculating Volumes of Compound Objects

Mathematics Assessment Resource Service
University of Nottingham & UC Berkeley
Beta Version

For more details, visit: <http://map.mathshell.org>
© 2012 MARS, Shell Center, University of Nottingham
May be reproduced, unmodified, for non-commercial purposes under the Creative Commons license
detailed at <http://creativecommons.org/licenses/by-nc-nd/3.0/> - all other rights reserved

Calculating Volumes of Compound Objects

MATHEMATICAL GOALS

This lesson unit is intended to help you assess how well students solve problems involving measurement, and in particular, to identify and help students who have the following difficulties:

- Computing measurements using formulas.
- Decomposing compound shapes into simpler ones.
- Using right triangles and their properties to solve real-world problems.

STANDARDS ADDRESSED

This lesson relates to the following *Standards for Mathematical Content* in the *Common Core State Standards for Mathematics*:

G-SRT: Define trigonometric ratios and solve problems involving right triangles.

G-GMD: Explain volume formulas and use them to solve problems.

This lesson also relates to the following *Standards for Mathematical Practice* in the *Common Core State Standards for Mathematics*:

1. Make sense of problems and persevere in solving them.
6. Attend to precision.

INTRODUCTION

The unit is structured in the following way:

- Before the lesson, students attempt the task individually. You then review their work and formulate questions for them to answer, in order to improve their work.
- At the start of the lesson, students work individually to answer your questions.
- Next, students work in small groups on the same task, to produce better collective solutions than those they produced individually. Throughout their work they justify and explain their decisions to each other.
- In the same small groups, students critique some student responses to the *Glasses* task, provided in the resource *Sample Responses to Discuss*. They correct errors in those responses.
- In a whole-class discussion, students discuss their own solutions, and explain how to correct the common misconceptions seen in the *Sample Responses to Discuss*.
- Finally, students work on their own again to improve their individual solutions.
- Materials required
- Each student will need two copies of the *Glasses* task, a copy of the *Formula Sheet*, a mini-whiteboard, pen, and eraser.
- Each small group of students will need a new copy of the *Glasses* sheet and a copy of the *Sample Responses to Discuss*.
- Some students may require a copy of the extension task, *Glasses: Extension Questions*.
- Have some copies of the *Hint Sheet* ready in case any students need it.
- There are also some projector resources to support whole-class discussion.

TIME NEEDED

15 minutes before the lesson, a 1-hour lesson, and 10 minutes in a follow-up lesson (or for homework). All timings are approximate and will depend on the needs of the students.

BEFORE THE LESSON

Assessment task: Glasses (15 minutes)

Have the students do this task, in class or for homework, a day or more before the formative assessment lesson. This will give you an opportunity to assess the work and to find out the kinds of difficulties students have with it. You will then be able to target your help more effectively in the follow-up lesson.

Give each student a copy of the *Glasses* task sheet. Introduce the task briefly and help the class to understand the problem and its context.

Spend 15 minutes working individually to answer these questions.

Show all your work on the worksheet.

It is important that, as far as possible, students answer the questions without assistance.

Students who sit together often produce similar answers, and then when they come to compare their work, they have little to discuss. For this reason, we suggest that, if students do the assessment task in class, you ask them to move to different seats. Then at the beginning of the formative assessment lesson, allow them to return to their usual places. Experience has shown that this produces more profitable discussions.

Students should not worry too much if they cannot understand or do everything, because there will be a lesson using this task, which should help them. Explain to students that by the end of that lesson, they should expect to answer questions such as these with confidence. This is their goal.

Assessing students' responses

Collect students' responses to the task. Make some notes on what their work reveals about their current levels of understanding. The purpose of this is to forewarn you of issues that will arise during the lesson itself, so that you may prepare carefully.


We suggest that you do not score students' work. The research shows that this will be counterproductive, as it will encourage students to compare their scores, and will distract their attention from what they can do to improve their mathematics.

Instead, help students to make further progress by summarizing their difficulties as a list of questions. Some suggestions for these are given on the next page. These have been drawn from common difficulties observed in trials of this unit.


We suggest that you write your own lists of questions, based on your own students' work, using the ideas below. You may choose to write questions on each student's work. If you do not have time to do this, select a few questions that will help the majority of students. These can be written on the board at the beginning of the lesson.

Glasses


Glass 1



Glass 2



Glass 3



This picture shows three glasses.
The measurements are all in centimeters.
The bowl of Glass 2 has a cylindrical top and a hemispherical base.
The bowl of Glass 3 goes down into the stem.

1. Calculate the volume of liquid that would fill the bowl of each glass. Show all your calculations and explain your reasoning.

a) Glass 1

.....

.....

.....

b) Glass 2

.....

.....

.....

c) Glass 3

.....

.....

.....

Common issues**Suggested questions and prompts**

<p>Student does not discriminate between length, area, and volume formulas</p> <p>For example: The student multiplies too many or too few numbers together to calculate a volume.</p> <p>Or: The student chooses an incorrect formula that involves the square of the height (Q3).</p>	<ul style="list-style-type: none"> • What is the difference between a length, an area, and a volume formula? • Compare the formulas for the cylinder and cone. What is their common base area? How does that show in the formulas?
<p>Student has difficulty in identifying the values to substitute for variables in the formula</p> <p>For example: The student does not match the variables in the formula with measures on the figure when applying a formula, using diameter rather than radius, or multiplying arbitrary numbers (Q1).</p> <p>Or: The student uses slant height rather than the Pythagorean Theorem to find perpendicular height (Q1c).</p>	<ul style="list-style-type: none"> • What measures do the variables in your formula stand for? Draw these in on the diagram.
<p>Student makes calculation errors</p> <p>For example: The student makes a numerical error in calculation such as doubling rather than squaring.</p>	<ul style="list-style-type: none"> • How can you check your answers?
<p>Student chooses wrong formula</p> <p>For example: The student chooses the pyramid formula for a prism (Q1).</p>	<ul style="list-style-type: none"> • What is the difference between a prism and a pyramid? • Is a cylinder a prism or a pyramid? Explain your answer.
<p>Student has difficulty decomposing a 3D shape</p> <p>For example: The student does not calculate the volume of a compound shape using appropriate formulas for constituent parts. There is no attempt, use of a single incorrect formula, or an incorrect decomposition.</p>	<ul style="list-style-type: none"> • Imagine you can take this 3D shape to pieces. What pieces would you make in order to calculate the volume using formulas you know? • For Glass 3, the bowl of the glass goes down into the stem.
<p>Student assumes proportionality</p> <p>For example: The student assumes that halving the volume also halves the height, giving a response of 3 cm (Q2).</p>	<ul style="list-style-type: none"> • Look back at Q1b. Are the volumes of the two parts of the figure the same? How does this affect your answer?
<p>Student answers all questions correctly</p> <p>The student needs an extension task.</p>	<ul style="list-style-type: none"> • Write down how someone could decide which formulas represent volumes. • Find the height of the liquid in glass 3 when it is half full. Explain your answer. • Show step-by-step how the formula given in question 4 was derived. • Make up a challenging glass volume problem of your own and solve it.

SUGGESTED LESSON OUTLINE

Improve individual solutions to the *Glasses* task (15 minutes)

Return students' written answers to the *Glasses* problem. Give each student a mini-whiteboard, pen, and eraser.

Recall what we were working on previously. What was the task?

Ask students to re-read the *Glasses* task, and their own work. Draw their attention to the questions you have about their work. If you have not added questions to students' work, write a short list of your most common questions on the board. Students can then select a few questions appropriate to their own work, and begin answering them.

I have read your solutions and have some questions about your work.

I would like you to work on your own to answer my questions for ten minutes.

Write your answers on your mini-whiteboard, so I can see what you're thinking about as I walk round.

The aim of this activity is to encourage students to re-engage with their work and reflect on what they have done. Often students comment that they find even their own reasoning hard to follow! This is a sure sign that they need to work on the quality of their explanations.

Collaborative small-group work on the *Glasses* task (10 minutes)

Organize the students into small groups of two or three.

Now I would like you to work in small groups.

Take it in turns to explain what you did on the problems and where you got stuck.

Together, try to produce a solution that is better than your individual solutions.

As students work, you have two tasks, to note students' approaches to the task, and to support student problem solving.

Note student approaches to the task

Listen to students, and identify the issues they are discussing. In particular, listen to see whether they are addressing the difficulties outlined in the table *Common Issues*. Which parts of the task do they struggle with most? You can use this information to focus the whole-class discussion later in the lesson.

Support student problem solving

From time to time, intervene and ask questions to help students clarify their thinking. Try not to help students too much by 'taking over' their work. Instead, encourage students to explain to one another. If several students in the class are struggling with the same issue, write a relevant question on the board.

If a group of students continues to struggle with identifying the missing lengths and constructions in Q2 and Q3 of *Glasses*, offer them a copy of the *Student Hint Sheet*.

For students who are succeeding with the task, suggest that they try to find the height of liquid in Glass 3 when it is half full. This is a more demanding problem.

Collaborative analysis of Sample Responses to Discuss (15 minutes)

Give each small group of students a copy of each of the *Sample Responses to Discuss*.

None of the sample responses shows the correct answer for the volume.

Work together to find and explain the errors each student made.

Explain what the student could do to complete his or her solution correctly.

The sample responses show some of the common errors made by students on Q1c and Q2 in trials. This task will give students an opportunity to address those common misconceptions, without providing a complete solution strategy.

Whole-class discussion of Sample Responses to Discuss (15 minutes)

Organize a whole-class discussion. The intention is for you to focus on getting students to understand the different methods of working out the answers, to articulate the common misconceptions and to share their reasoning, rather than to check numerical solutions.

Let's stop and talk about the different errors the students made.

Look at Logan and Isaac's solutions to Question 1c.

Which student produced the better solution? Explain your response.

Which height do you need to calculate this volume?

Zsa-Zsa, your group wrote an explanation of that. Could you explain for us please?

Put Logan's/Isaac's explanation into your own words.

Look at Yasmin and Brianna's solutions to Question 1.

Which student produced the better solution? Explain your response.

Next lesson: review individual solutions to the assessment task (10 minutes)

Unless you have time during the lesson, schedule this task for the next lesson. Some teachers ask students to work through this task for homework.

Return students' individual papers from the *Glasses* assessment task, along with a fresh copy of the task sheet.

Read through your original responses, and think about what you have learned this lesson.

Suppose you were to work on another volume task tomorrow. What advice would you give yourself?

Using what you have learned, try to improve your solution.

If a student is satisfied that he or she has completed the task satisfactorily, ask them to try some of the questions on the extension sheet, *Glasses: Extension Questions*. Question 3 on this sheet is much more difficult than the previous questions, so it should provide an appropriate challenge for students who have succeeded on the other parts of this task.

SOLUTIONS

Glasses

1a) The volume of Glass 1 = $\pi \times 3 \times 3 \times 6 = 54\pi = 170 \text{ cm}^3$.

1b) The volume of the hemisphere = $(4\pi \times 3^3) \div 6 = 18\pi = 56.5$.

The volume of the cylinder = $\pi \times 3^2 \times 3 = 27\pi = 84.8$.

Total volume of Glass 2 = $45\pi = 141 \text{ cm}^3$.

1c) Using the Pythagorean Theorem, the height of the cone is $\sqrt{7^2 - 3^2} = \sqrt{40} = 2\sqrt{10}$.

The volume of Glass 3 = $(\pi \times 3^2 \times 2\sqrt{10}) \div 3 = 6\sqrt{10}\pi = 60 \text{ cm}^3$.

2. The volume of liquid in the half-full Glass 2 is $141 \div 2 = 70.5$.

The volume of liquid in the cylinder = $70.5 - 56.5 = 14$.

$14 = \pi \times 3^2 \times \text{height in cylinder}$.

Height in cylinder = $14 \div 9\pi = 0.5$.

The total height = $3 + 0.5 = 3.5 \text{ cm}$.

3. Glass 4 is composed from a cylinder and cone. While we do not yet have enough information to deduce the formula, it is possible to rule out three of the formulas on grounds that the dimensions of the formulas are incorrect:

$\frac{1}{6} \pi dh$ Only two lengths are multiplied so this has the dimension of an area.

$\frac{1}{6} \pi d^2 h^2$ Four lengths are multiplied, so this is not a volume either.

Both $\frac{1}{6} \pi d^2 h$ and $\frac{1}{6} \pi dh^2$ involve multiplying together three lengths, but $\frac{1}{6} \pi dh^2$ involves the square of the height and so, cannot be correct.

The correct formula is therefore $\frac{1}{6} \pi d^2 h$.

Glasses: Extension problems

1. This question is intended to encourage the discussion of dimensional analysis.

When lengths are combined by addition we obtain another length.

If two lengths are multiplied we obtain an area.

If three are multiplied we obtain a volume.

2. The volume of the Glass = volume of cylinder + volume of cone

$$= \pi \left(\frac{d}{2} \right)^2 \left(\frac{h}{2} \right) + \frac{1}{3} \pi \left(\frac{d}{2} \right)^2 \left(\frac{h}{2} \right)$$

$$= \frac{4}{3} \pi \left(\frac{d}{2} \right)^2 \left(\frac{h}{2} \right)$$

$$= \frac{1}{6} \pi d^2 h.$$

3. When Glass 3 is half full, it will hold 30 cm^3 (from Q1c).

If the height of liquid is h and the radius of the top of the liquid is r then $\frac{1}{3} \pi r^2 h = 30$.

$$\text{So } \pi r^2 h = 90. \quad (1)$$

By similar triangles:

$$\text{The ratio } \textit{height of bowl} : \textit{radius of bowl} = h : r = 2\sqrt{10} : 3$$

$$\text{This means that } r = 0.47h \quad (2)$$

Substituting (2) in (1):

$$0.225 h^3 = 29, \text{ and so } h = 5.1 \text{ cm.}$$

The height of liquid will be 5.1 cm.

Analysis of Student Responses to Discuss

Logan's method

Logan uses the correct formula for the volume of a cone. He identifies that the correct height to substitute into that formula is the perpendicular height of the cone. He uses the Pythagorean Theorem to figure out the perpendicular height but forgets to find the square root of $b^2 = 40$. This leads to an incorrect solution.

Logan should recalculate the cone volume using $2\sqrt{10}$ for the perpendicular height.

Isaac's method

Isaac uses the correct formula for the volume of a cone. He uses an incorrect measure. He uses the slant height rather than the perpendicular height. He should first calculate the perpendicular height of the cone using the Pythagorean Theorem, and then substitute that value into the formula.

Yasmin's method


Yasmin has assumed that halving the volume halves the height of the liquid in the glass. This is a false assumption. In order to figure out the correct solution, Yasmin should first halve the total volume of the glass, and then subtract the volume of the hemisphere from the half volume. She will then know the volume of liquid in the cylinder. She can calculate the height of the liquid, and add that on to the height of liquid in the hemisphere.

Brianna's method

Brianna calculates half the volume of the glass. She then subtracts the volume of the hemisphere. This shows how much of the volume of the cylinder is taken up when the glass is half full. Brianna needs to complete her solution by working out the height of a cylinder of radius 3 cm that has this volume. That height, added to the height of the hemisphere (3 cm), is the height of liquid in the half-full glass.

Brianna also used the equals sign in a non-standard way.

Glasses



This picture shows three glasses.

The measurements are all in centimeters.

The bowl of Glass 2 has a cylindrical top and a hemispherical base.

The bowl of Glass 3 goes down into the stem.

1. Calculate the volume of liquid that would fill the bowl of each glass.
Show all your calculations and explain your reasoning.

a) Glass 1

.....

.....

.....

b) Glass 2

.....

.....

.....

c) Glass 3

.....

.....

.....

2. Find the height of liquid in Glass 2 when it is half full.
Show how you figure it out

.....

.....

.....

.....

.....

.....

.....

.....


3. Glass 4 is shown in the diagram.
One of the following formulae gives the volume of Glass 4.
Which is it?

$$\frac{1}{6} \pi d^2 h$$

$$\frac{1}{6} \pi dh$$

$$\frac{1}{6} \pi dh^2$$

$$\frac{1}{6} \pi d^2 h^2$$



Glass 4

Explain how you can tell by just looking at the form of these expressions.

.....

.....

.....

.....

.....

Glasses: Extension questions

1. Explain how you can tell when a formula represents a length, an area or a volume.

.....

.....

.....

.....

.....

2. Show step by step how a formula for the volume of Glass 4 may be derived.


.....

.....

.....

.....

.....



Glass 4

3. Find the height of liquid in Glass 3 when it is half full. Explain your answer.

.....

.....

.....

.....


.....

.....

.....

.....











.....




Glass 3

4. On a separate sheet of paper, make up your own Glass question and solve it. Try to make your problem challenging, but solvable! Now give it to someone else in your class to solve.

Formula Sheet

<p style="text-align: center;">Area of a circle: πr^2</p> 	<p style="text-align: center;">Area of a triangle: $\frac{bh}{2}$</p> 
<p style="text-align: center;">Area of a parallelogram: bh</p> 	<p style="text-align: center;">Area of a trapezoid: $\frac{1}{2}(a+b)h$</p> 
<p style="text-align: center;">Surface area of a sphere: $4\pi r^2$ Volume of a sphere: $\frac{4}{3}\pi r^3$</p> 	<p style="text-align: center;">Volume of a pyramid: $\frac{1}{3} \text{base area} \times h$</p> 
<p style="text-align: center;">Volume of a prism: area of cross section \times height</p> 	<p style="text-align: center;">Volume of a cone: $\frac{1}{3}\pi r^2 h$ Curved surface area of cone: πrs</p> 
<p style="text-align: center;">Volume of a cylinder: $\pi r^2 h$ Curved surface area of cylinder: $2\pi rh$</p> 	<p style="text-align: center;">Volume of a rectangular prism: lwh Surface area of rectangular prism: $2(wh + lh + wl)$</p> 

Hint Sheet



Sample Responses to Discuss

Here is some work on *Glasses* done by other students.

Neither Isaac nor Logan has found the correct volume for Glass 3.

Neither Brianna nor Yasmin has found the correct height of liquid in Glass 2 when it is half full.

1. Find and explain the errors each student made.
2. Explain what the student needs to do to complete his or her solution correctly.

For example, you might write sentences beginning like these ones:

The student has substituted an incorrect measure ...

This is the wrong measure because ...

The correct measure is ...

The correct solution is ...

Logan's solution

c. Glass 3..... $a^2 + b^2 = c^2$ $3^2 + b^2 = 7^2$ $9 + b^2 = 49$
 $b^2 = 40$
..... $\frac{1}{3} \pi r^2 h$ $\frac{1}{3} \pi 3^2 \cdot 40$ 397 cm^3


Isaac's solution

c. Glass 3..... $\frac{1}{3} \pi 3^2 \cdot 7 = 65.97 \text{ cm}^3$

Yasmin's solution

3. Find the height of liquid in Glass 2 when it is half full.3cm.....

Tell how you figured it out

...You divide the final volume of the glass in half... The height...
...of the glass when it is full is 6cm... When it is half...
...full the height will be half that which is 3cm.....

.....

.....

.....

.....

.....

Brianna's solution

3. Find the height of liquid in Glass 2 when it is half full.14.3cm.....

Tell how you figured it out

... $141 \div 2 = 70.65 - 56.52 = 14.13$

.....


.....

.....


.....

.....


Glass 1




Class 2



Glass 3



Class 4



$$\frac{1}{6} \pi d h$$

$$\frac{1}{6} \pi d^2 h^2$$

$$\frac{1}{6} \pi d^2 h$$

$$\frac{1}{6} \pi d h^2$$

Mathematics Assessment Project
CLASSROOM CHALLENGES

This lesson was designed and developed by the
Shell Center Team
at the
University of Nottingham
Malcolm Swan, Nichola Clarke, Clare Dawson, Sheila Evans
with
Hugh Burkhardt, Rita Crust, Andy Noyes, and Daniel Pead

It was refined on the basis of reports from teams of observers led by
David Foster, Mary Bouck, and Diane Schaefer
based on their observation of trials in US classrooms
along with comments from teachers and other users.

This project was conceived and directed for
MARS: Mathematics Assessment Resource Service
by
Alan Schoenfeld, Hugh Burkhardt, Daniel Pead, and Malcolm Swan
and based at the University of California, Berkeley

We are grateful to the many teachers, in the UK and the US, who trialed earlier versions
of these materials in their classrooms, to their students, and to
Judith Mills, Carol Hill, and Alvaro Villanueva who contributed to the design.

This development would not have been possible without the support of
Bill & Melinda Gates Foundation
We are particularly grateful to
Carina Wong, Melissa Chabran, and Jamie McKee

© 2012 MARS, Shell Center, University of Nottingham
This material may be reproduced and distributed, without modification, for non-commercial purposes,
under the Creative Commons License detailed at <http://creativecommons.org/licenses/by-nc-nd/3.0/>
All other rights reserved.

Please contact map.info@mathshell.org if this license does not meet your needs.